


Cone Térmico BT40 - Mono 3°

Categorias

- Mono 3°



Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930107203095M42	BT40-SLSA3-95-M42	3	6	1.5	95	42	26	-	10.4	1
930107203120M67	BT40-SLSA3-120-M67	3	6	1.5	120	67	26	-	13	1
930107203125M42	BT40-SLSA3-125-M42	3	6	1.5	125	42	56	-	10.4	1
930107203150M67	BT40-SLSA3-150-M67	3	6	1.5	150	67	56	-	13	1
930107203151M97	BT40-SLSA3-150-M97	3	6	1.5	150	97	26	-	16.2	1
930107203155M42	BT40-SLSA3-155-M42	3	6	1.5	155	42	33	53	10.4	2
930107203180M67	BT40-SLSA3-180-M67	3	6	1.5	180	67	33	53	13	2
930107203181M97	BT40-SLSA3-180-M97	3	6	1.5	180	97	56	-	16.2	1
930107203210M97	BT40-SLSA3-210-M97	3	6	1.5	210	97	33	53	16.2	2
930107103075M22	BT40-SLRA3-75-M22	3	7.5	2.25	75	22	26	-	9.8	1
930107103095M42	BT40-SLRA3-95-M42	3	7.5	2.25	95	42	26	-	11.9	1
930107103105M22	BT40-SLRA3-105-M22	3	7.5	2.25	105	22	56	-	9.8	1
930107103120M67	BT40-SLRA3-120-M67	3	7.5	2.25	120	67	26	-	14.5	1
930107103125M42	BT40-SLRA3-125-M42	3	7.5	2.25	125	42	56	-	11.9	1
930107103135M22	BT40-SLRA3-135-M22	3	7.5	2.25	135	22	33	53	9.8	2
930107103150M67	BT40-SLRA3-150-M67	3	7.5	2.25	150	67	56	-	14.5	1
930107103151M97	BT40-SLRA3-150-M97	3	7.5	2.25	150	97	26	-	17.7	1
930107103155M42	BT40-SLRA3-155-M42	3	7.5	2.25	155	42	33	53	11.9	2
930107103180M67	BT40-SLRA3-180-M67	3	7.5	2.25	180	67	33	53	14.5	2
930107103181M97	BT40-SLRA3-180-M97	3	7.5	2.25	180	97	56	-	17.7	1
930107103182M12	BT40-SLRA3-180-M127	3	7.5	2.25	180	127	26	-	20.8	1
930107103210M97	BT40-SLRA3-210-M97	3	7.5	2.25	210	97	33	53	17.7	2
930107103210M12	BT40-SLRA3-210-M127	3	7.5	2.25	210	127	56	-	20.8	1
930107103240M12	BT40-SLRA3-240-M127	3	7.5	2.25	240	127	28	58	20.8	2
930107303075M22	BT40-SLFB3-75-M22	3	9.5	3.25	75	22	26	-	11.8	1
930107303095M42	BT40-SLFB3-95-M42	3	9.5	3.25	95	42	26	-	13.9	1



Ref.	Descrição	ØD	Ø	Thickness	L	M	L1	L2	ØC1	Fig.
930107303105M22	BT40-SLFB3-105-M22	3	9.5	3.25	105	22	56	-	11.8	1
930107303120M67	BT40-SLFB3-120-M67	3	9.5	3.25	120	67	26	-	16.5	1
930107303125M42	BT40-SLFB3-125-M42	3	9.5	3.25	125	42	56	-	13.9	1
930107303135M22	BT40-SLFB3-135-M22	3	9.5	3.25	135	22	33	53	11.8	2
930107303150M67	BT40-SLFB3-150-M67	3	9.5	3.25	150	67	56	-	16.5	1
930107303155M42	BT40-SLFB3-155-M42	3	9.5	3.25	155	42	33	53	13.9	2
930107303180M67	BT40-SLFB3-180-M67	3	9.5	3.25	180	67	33	53	16.5	2
930107204095M42	BT40-SLSA4-95-M42	4	7	1.5	95	42	26	-	11.4	1
930107204120M67	BT40-SLSA4-120-M67	4	7	1.5	120	67	26	-	14	1
930107204125M42	BT40-SLSA4-125-M42	4	7	1.5	125	42	56	-	11.4	1
930107204150M67	BT40-SLSA4-150-M67	4	7	1.5	150	67	56	-	14	1
930107204151M97	BT40-SLSA4-150-M97	4	7	1.5	150	97	26	-	17.2	1
930107204155M42	BT40-SLSA4-155-M42	4	7	1.5	155	42	33	53	11.4	2
930107204180M67	BT40-SLSA4-180-M67	4	7	1.5	180	67	33	53	14	2
930107204181M97	BT40-SLSA4-180-M97	4	7	1.5	180	97	56	-	17.2	1
930107204210M97	BT40-SLSA4-210-M97	4	7	1.5	210	97	33	53	17.2	2
930107104075M22	BT40-SLRA4-75-M22	4	10	3	75	22	26	-	12.3	1
930107104095M42	BT40-SLRA4-95-M42	4	10	3	95	42	26	-	14.4	1
930107104105M22	BT40-SLRA4-105-M22	4	10	3	105	22	56	-	12.3	1
930107104120M67	BT40-SLRA4-120-M67	4	10	3	120	67	26	-	17	1
930107104125M42	BT40-SLRA4-125-M42	4	10	3	125	42	56	-	14.4	1
930107104135M22	BT40-SLRA4-135-M22	4	10	3	135	22	33	53	12.3	2
930107104150M67	BT40-SLRA4-150-M67	4	10	3	150	67	56	-	17	1
930107104151M97	BT40-SLRA4-150-M97	4	10	3	150	97	26	-	20.2	1
930107104155M42	BT40-SLRA4-155-M42	4	10	3	155	42	33	53	14.4	2
930107104180M67	BT40-SLRA4-180-M67	4	10	3	180	67	33	53	17	2
930107104181M97	BT40-SLRA4-180-M97	4	10	3	180	97	56	-	20.2	1
930107104182M12	BT40-SLRA4-180-M127	4	10	3	180	127	26	-	23.3	1
930107104210M97	BT40-SLRA4-210-M97	4	10	3	210	97	33	53	20.2	2
930107104210M12	BT40-SLRA4-210-M127	4	10	3	210	127	56	-	23.3	1
930107104240M12	BT40-SLRA4-240-M127	4	10	3	240	127	30	56	23.3	2
930107304075M22	BT40-SLFB4-75-M22	4	12	3	75	22	26	-	14.3	1
930107304095M42	BT40-SLFB4-95-M42	4	12	3	95	42	26	-	16.4	1
930107304105M22	BT40-SLFB4-105-M22	4	12	3	105	22	56	-	14.3	1
930107304120M67	BT40-SLFB4-120-M67	4	12	3	120	67	26	-	19	1
930107304125M42	BT40-SLFB4-125-M42	4	12	3	125	42	56	-	16.4	1
930107304135M22	BT40-SLFB4-135-M22	4	12	4	135	22	33	53	14.3	2
930107304150M67	BT40-SLFB4-150-M67	4	12	4	150	67	56	-	19	1
930107304155M42	BT40-SLFB4-155-M42	4	12	4	155	42	33	53	16.4	2
930107304180M67	BT40-SLFB4-180-M67	4	12	4	180	67	33	53	19	2
930107206095M42	BT40-SLSA6-95-M42	6	9	1.5	95	42	26	-	13.4	1
930107206120M67	BT40-SLSA6-120-M67	6	9	1.5	120	67	26	-	16	1
930107206125M42	BT40-SLSA6-125-M42	6	9	1.5	125	42	56	-	13.4	1

Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930107206150M67	BT40-SLSA6-150-M67	6	9	1.5	150	67	56	-	16	1
930107206151M97	BT40-SLSA6-150-M97	6	9	1.5	150	97	26	-	19.2	1
930107206155M42	BT40-SLSA6-155-M42	6	9	1.5	155	42	33	53	13.4	2
930107206180M67	BT40-SLSA6-180-M67	6	9	1.5	180	67	33	53	16	2
930107206181M97	BT40-SLSA6-180-M97	6	9	1.5	180	97	56	-	19.2	1
930107206210M97	BT40-SLSA6-210-M97	6	9	1.5	210	97	28	58	19.2	2
930107506095M42	BT40-SLSB6-95-M42	6	10	2	95	42	26	-	14.4	1
930107506120M67	BT40-SLSB6-120-M67	6	10	2	120	67	26	-	17	1
930107506125M42	BT40-SLSB6-125-M42	6	10	2	125	42	56	-	14.4	1
930107506150M67	BT40-SLSB6-150-M67	6	10	2	150	67	56	-	17	1
930107506151M97	BT40-SLSB6-150-M97	6	10	2	150	97	26	-	20.2	1
930107506155M42	BT40-SLSB6-155-M42	6	10	2	155	42	33	53	14.4	2
930107506180M67	BT40-SLSB6-180-M67	6	10	2	180	67	33	53	17	2
930107506181M97	BT40-SLSB6-180-M97	6	10	2	180	97	56	-	20.2	1
930107506182M12	BT40-SLSB6-180-M127	6	10	2	180	127	26	-	23.3	1
930107506210M97	BT40-SLSB6-210-M97	6	10	2	210	97	30	56	20.2	2
930107506210M12	BT40-SLSB6-210-M127	6	10	2	210	127	56	-	23.3	1
930107506210M15	BT40-SLSB6-210-M157	6	10	2	210	157	26	-	26.5	1
930107506240M12	BT40-SLSB6-240-M127	6	10	2	240	127	30	56	23.3	2
930107506240M15	BT40-SLSB6-240-M157	6	10	2	240	157	56	-	26.5	1
930107506270M15	BT40-SLSB6-270-M157	6	10	2	270	157	28	58	26.5	2
930107406075M22	BT40-SLRB6-75-M22	6	14	4	75	22	26	-	16.3	1
930107406095M42	BT40-SLRB6-95-M42	6	14	4	95	42	26	-	18.4	1
930107406105M22	BT40-SLRB6-105-M22	6	14	4	105	22	56	-	16.3	1
930107406120M67	BT40-SLRB6-120-M67	6	14	4	120	67	26	-	21	1
930107406125M42	BT40-SLRB6-125-M42	6	14	4	125	42	56	-	18.4	1
930107406135M22	BT40-SLRB6-135-M22	6	14	4	135	22	30	56	16.3	2
930107406150M67	BT40-SLRB6-150-M67	6	14	4	150	67	56	-	21	1
930107406155M42	BT40-SLRB6-155-M42	6	14	4	155	42	28	58	18.4	2
930107406180M67	BT40-SLRB6-180-M67	6	14	4	180	67	30	56	21	2
930107306075M22	BT40-SLFB6-75-M22	6	14	4	75	22	26	-	16.3	1
930107306095M42	BT40-SLFB6-95-M42	6	14	4	95	42	26	-	18.4	1
930107306105M22	BT40-SLFB6-105-M22	6	14	4	105	22	56	-	16.3	1
930107306120M67	BT40-SLFB6-120-M67	6	14	4	120	67	26	-	21	1
930107306125M42	BT40-SLFB6-125-M42	6	14	4	125	42	56	-	18.4	1
930107306135M22	BT40-SLFB6-135-M22	6	14	4	135	22	30	56	16.3	2
930107306150M67	BT40-SLFB6-150-M67	6	14	4	150	67	56	-	21	1
930107306155M42	BT40-SLFB6-155-M42	6	14	4	155	42	30	56	18.4	2
930107306180M67	BT40-SLFB6-180-M67	6	14	4	180	67	30	56	21	2
930107208095M42	BT40-SLSA8-95-M42	8	11	1.5	95	42	26	-	15.4	1
930107208120M67	BT40-SLSA8-120-M67	8	11	1.5	120	67	26	-	18	1
930107208125M42	BT40-SLSA8-125-M42	8	11	1.5	125	42	56	-	15.4	1
930107208150M67	BT40-SLSA8-150-M67	8	11	1.5	150	67	56	-	18	1

Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930107208150M97	BT40-SLSA8-150-M97	8	11	1.5	150	97	26	-	21.2	1
930107208155M42	BT40-SLSA8-155-M42	8	11	1.5	155	42	33	53	15.4	2
930107208180M67	BT40-SLSA8-180-M67	8	11	1.5	180	67	30	56	18	2
930107208180M97	BT40-SLSA8-180-M97	8	11	1.5	180	97	56	-	21.2	1
930107208210M97	BT40-SLSA8-210-M97	8	11	1.5	210	97	28	58	21.2	2
930107508095M42	BT40-SLSB8-95-M42	8	13	2.5	95	42	26	-	17.4	1
930107508120M67	BT40-SLSB8-120-M67	8	13	2.5	120	67	26	-	20	1
930107508125M42	BT40-SLSB8-125-M42	8	13	2.5	125	42	56	-	17.4	1
930107508150M67	BT40-SLSB8-150-M67	8	13	2.5	150	67	56	-	20	1
930107508151M97	BT40-SLSB8-150-M97	8	13	2.5	150	97	26	-	23.2	1
930107508155M42	BT40-SLSB8-155-M42	8	13	2.5	155	42	30	56	17.4	2
930107508180M67	BT40-SLSB8-180-M67	8	13	2.5	180	67	30	56	20	2
930107508180M97	BT40-SLSB8-180-M97	8	13	2.5	180	97	56	-	23.2	1
930107508180M12	BT40-SLSB8-180-M127	8	13	2.5	180	127	26	-	26.3	1
930107508210M97	BT40-SLSB8-210-M97	8	13	2.5	210	97	28	58	23.2	2
930107508210M12	BT40-SLSB8-210-M127	8	13	2.5	210	127	56	-	26.3	1
930107508210M15	BT40-SLSB8-210-M157	8	13	2.5	210	157	26	-	29.5	1
930107508240M12	BT40-SLSB8-240-M127	8	13	2.5	240	127	30	56	26.3	2
930107508241M15	BT40-SLSB8-240-M157	8	13	2.5	240	157	56	-	29.5	1
930107508270M15	BT40-SLSB8-270-M157	8	13	2.5	270	157	28	58	29.5	2
930107408075M22	BT40-SLRB8-75-M22	8	18	5	75	22	26	-	20.3	1
930107408095M42	BT40-SLRB8-95-M42	8	18	5	95	42	26	-	22.4	1
930107408105M22	BT40-SLRB8-105-M22	8	18	5	105	22	56	-	20.3	1
930107408120M67	BT40-SLRB8-120-M67	8	18	5	120	67	26	-	25	1
930107408125M42	BT40-SLRB8-125-M42	8	18	5	125	42	56	-	22.4	1
930107408135M22	BT40-SLRB8-135-M22	8	18	5	135	22	30	56	20.3	2
930107408150M67	BT40-SLRB8-150-M67	8	18	5	150	67	56	-	25	1
930107408155M42	BT40-SLRB8-155-M42	8	18	5	155	42	30	56	22.4	2
930107408180M67	BT40-SLRB8-180-M67	8	18	5	180	67	28	58	25	2
930107308075M22	BT40-SLFB8-75-M22	8	18	5	75	22	26	-	20.3	1
930107308095M42	BT40-SLFB8-95-M42	8	18	5	95	42	26	-	22.4	1
930107308105M22	BT40-SLFB8-105-M22	8	18	5	105	22	56	-	20.3	1
930107308120M67	BT40-SLFB8-120-M67	8	18	5	120	67	26	-	25	1
930107308125M42	BT40-SLFB8-125-M42	8	18	5	125	42	56	-	22.4	1
930107308135M22	BT40-SLFB8-135-M22	8	18	5	135	22	30	56	20.3	2
930107308150M67	BT40-SLFB8-150-M67	8	18	5	150	67	56	-	25	1
930107308155M42	BT40-SLFB8-155-M42	8	18	5	155	42	30	56	22.4	2
930107308180M67	BT40-SLFB8-180-M67	8	18	5	180	67	28	58	25	2
930107210095M42	BT40-SLSA10-95-M42	10	13	1.5	95	42	26	-	17.4	1
930107210120M67	BT40-SLSA10-120-M67	10	13	1.5	120	67	26	-	20	1
930107210125M42	BT40-SLSA10-125-M42	10	13	1.5	125	42	56	-	17.4	1
930107210150M67	BT40-SLSA10-150-M67	10	13	1.5	150	67	56	-	20	1
930107210151M97	BT40-SLSA10-150-M97	10	13	1.5	150	97	26	-	23.2	1

Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930107210155M42	BT40-SLSA10-155-M42	10	13	1.5	155	42	28	58	17.4	2
930107210180M67	BT40-SLSA10-180-M67	10	13	1.5	180	67	28	58	20	2
930107210181M97	BT40-SLSA10-180-M97	10	13	1.5	180	97	56	-	23.2	1
930107210210M97	BT40-SLSA10-210-M97	10	13	1.5	210	97	30	56	23.3	2
930107510095M42	BT40-SLSB10-95-M42	10	16	3	95	42	26	-	20.4	1
930107510120M67	BT40-SLSB10-120-M67	10	16	3	120	67	26	-	23	1
930107510125M42	BT40-SLSB10-125-M42	10	16	3	125	42	56	-	20.4	1
930107510150M67	BT40-SLSB10-150-M67	10	16	3	150	67	56	-	23	1
930107510151M97	BT40-SLSB10-150-M97	10	16	3	150	97	26	-	26.2	1
930107510155M42	BT40-SLSB10-155-M42	10	16	3	155	42	28	58	20.4	2
930107510180M67	BT40-SLSB10-180-M67	10	16	3	180	67	28	58	23	2
930107510181M97	BT40-SLSB10-180-M97	10	16	3	180	97	56	-	26.2	1
930107510182M12	BT40-SLSB10-180-M127	10	16	3	180	127	26	-	29.3	1
930107510210M97	BT40-SLSB10-210-M97	10	16	3	210	97	28	58	26.2	2
930107510210M12	BT40-SLSB10-210-M127	10	16	3	210	127	56	-	29.3	1
930107510210M15	BT40-SLSB10-210-M157	10	16	3	210	157	26	-	32.5	1
930107510240M12	BT40-SLSB10-240-M127	10	16	3	240	127	86	-	29.3	1
930107510241M15	BT40-SLSB10-240-M157	10	16	3	240	157	56	-	32.5	1
930107510270M15	BT40-SLSB10-270-M157	10	16	3	270	157	86	-	32.5	1
930107410075M22	BT40-SLRB10-75-M22	10	22	6	75	22	26	-	24.3	1
930107410095M42	BT40-SLRB10-95-M42	10	22	6	95	42	26	-	26.4	1
930107410105M22	BT40-SLRB10-105-M22	10	22	6	105	22	56	-	24.3	1
930107410120M67	BT40-SLRB10-120-M67	10	22	6	120	67	26	-	29	1
930107410125M42	BT40-SLRB10-125-M42	10	22	6	125	42	56	-	26.4	1
930107410135M22	BT40-SLRB10-135-M22	10	22	6	135	22	28	58	24.3	2
930107410150M67	BT40-SLRB10-150-M67	10	22	6	150	67	56	-	29	1
930107410155M42	BT40-SLRB10-155-M42	10	22	6	155	42	28	58	26.4	2
930107410180M67	BT40-SLRB10-180-M67	10	22	6	180	67	28	58	29	2
930107310075M22	BT40-SLFB10-75-M22	10	22	6	75	22	26	-	24.3	1
930107310095M42	BT40-SLFB10-95-M42	10	22	6	95	42	26	-	26.4	1
930107310105M22	BT40-SLFB10-105-M22	10	22	6	105	22	56	-	24.3	1
930107310120M67	BT40-SLFB10-120-M67	10	22	6	120	67	26	-	29	1
930107310125M42	BT40-SLFB10-125-M42	10	22	6	125	42	56	-	26.4	1
930107310135M22	BT40-SLFB10-135-M22	10	22	6	135	22	30	56	24.3	2
930107310150M67	BT40-SLFB10-150-M67	10	22	6	150	67	56	-	29	1
930107310155M42	BT40-SLFB10-155-M42	10	22	6	155	42	28	58	26.4	2
930107310180M67	BT40-SLFB10-180-M67	10	22	6	180	67	28	58	29	2
930107212095M42	BT40-SLSA12-95-M42	12	15	1.5	95	42	26	-	19.4	1
930107212120M67	BT40-SLSA12-120-M67	12	15	1.5	120	67	26	-	22	1
930107212125M42	BT40-SLSA12-125-M42	12	15	1.5	125	42	56	-	19.4	1
930107212150M67	BT40-SLSA12-150-M67	12	15	1.5	150	67	56	-	22	1
930107212151M97	BT40-SLSA12-150-M97	12	15	1.5	150	97	26	-	25.2	1
930107212155M42	BT40-SLSA12-155-M42	12	15	1.5	155	42	28	58	19.4	2

Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930107212180M67	BT40-SLSA12-180-M67	12	15	1.5	180	67	30	56	22	2
930107212181M97	BT40-SLSA12-180-M97	12	15	1.5	180	97	56	-	25.2	1
930107212210M97	BT40-SLSA12-210-M97	12	15	1.5	210	97	30	56	25.2	2
930107512095M42	BT40-SLSB12-95-M42	12	19	3.5	95	42	26	-	23.4	1
930107512120M67	BT40-SLSB12-120-M67	12	19	3.5	120	67	26	-	26	1
930107512125M42	BT40-SLSB12-125-M42	12	19	3.5	125	42	56	-	23.4	1
930107512150M67	BT40-SLSB12-150-M67	12	19	3.5	150	67	56	-	26	1
930107512151M97	BT40-SLSB12-150-M97	12	19	3.5	150	97	26	-	29.2	1
930107512155M42	BT40-SLSB12-155-M42	12	19	3.5	155	42	28	58	23.4	2
930107512180M67	BT40-SLSB12-180-M67	12	19	3.5	180	67	28	58	26	2
930107512181M97	BT40-SLSB12-180-M97	12	19	3.5	180	97	56	-	29.2	1
930107512182M12	BT40-SLSB12-180-M127	12	19	3.5	180	127	26	-	32.3	1
930107512210M97	BT40-SLSB12-210-M97	12	19	3.5	210	97	86	-	29.2	1
930107512210M12	BT40-SLSB12-210-M127	12	19	3.5	210	127	56	-	32.3	1
930107512210M15	BT40-SLSB12-210-M157	12	19	3.5	210	157	26	-	35.5	1
930107512240M12	BT40-SLSB12-240-M127	12	19	3.5	240	127	86	-	32.3	1
930107512241M15	BT40-SLSB12-240-M157	12	19	3.5	240	157	56	-	35.5	1
930107512270M15	BT40-SLSB12-270-M157	12	19	3.5	270	157	86	-	35.5	1
930107412075M22	BT40-SLRB12-75-M22	12	26	7	75	22	26	-	28.3	1
930107412095M42	BT40-SLRB12-95-M42	12	26	7	95	42	26	-	30.4	1
930107412105M22	BT40-SLRB12-105-M22	12	26	7	105	22	56	-	28.3	1
930107412120M67	BT40-SLRB12-120-M67	12	26	7	120	67	26	-	33	1
930107412125M42	BT40-SLRB12-125-M42	12	26	7	125	42	56	-	30.4	1
930107412135M22	BT40-SLRB12-135-M22	12	26	7	135	22	86	-	28.3	1
930107412150M67	BT40-SLRB12-150-M67	12	26	7	150	67	56	-	33	1
930107412155M42	BT40-SLRB12-155-M42	12	26	7	155	42	86	-	30.4	1
930107412180M67	BT40-SLRB12-180-M67	12	26	7	180	67	28	58	33	2
930107312075M22	BT40-SLFB12-75-M22	12	26	7	75	22	26	-	28.3	1
930107312095M42	BT40-SLFB12-95-M42	12	26	7	95	42	26	-	30.4	1
930107312105M22	BT40-SLFB12-105-M22	12	26	7	105	22	56	-	28.3	1
930107312120M67	BT40-SLFB12-120-M67	12	26	7	120	67	26	-	33	1
930107312125M42	BT40-SLFB12-125-M42	12	26	7	125	42	56	-	30.4	1
930107312135M22	BT40-SLFB12-135-M22	12	26	7	135	22	28	58	28.3	2
930107312150M67	BT40-SLFB12-150-M67	12	26	7	150	67	56	-	33	1
930107312155M42	BT40-SLFB12-155-M42	12	26	7	155	42	86	-	30.4	1
930107312180M67	BT40-SLFB12-180-M67	12	26	7	180	67	86	-	33	1
930107516095M42	BT40-SLSB16-95-M42	16	24	4	95	42	26	-	28.4	1
930107516120M67	BT40-SLSB16-120-M67	16	24	4	120	67	26	-	31	1
930107516125M42	BT40-SLSB16-125-M42	16	24	4	125	42	56	-	28.4	1
930107516150M67	BT40-SLSB16-150-M67	16	24	4	150	67	56	-	31	1
930107516151M97	BT40-SLSB16-150-M97	16	24	4	150	97	26	-	34.2	1
930107516155M42	BT40-SLSB16-155-M42	16	24	4	155	42	86	-	28.2	1
930107516180M67	BT40-SLSB16-180-M67	16	24	4	180	67	28	58	31	2

Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930107516180M97	BT40-SLSB16-180-M97	16	24	4	180	97	56	-	34.2	1
930107516180M12	BT40-SLSB16-180-M127	16	24	4	180	127	26	-	37.3	1
930107516210M97	BT40-SLSB16-210-M97	16	24	4	210	97	86	-	34.2	1
930107516210M12	BT40-SLSB16-210-M127	16	24	4	210	127	56	-	37.3	1
930107516210M15	BT40-SLSB16-210-M157	16	24	4	210	157	26	-	40.5	1
930107516240M12	BT40-SLSB16-240-M127	16	24	4	240	127	86	-	37.3	1
930107516241M15	BT40-SLSB16-240-M157	16	24	4	240	157	56	-	40.5	1
930107516270M15	BT40-SLSB16-270-M157	16	24	4	270	157	86	-	40.5	1
930107416075M22	BT40-SLRB16-75-M22	16	32	8	75	22	26	-	34.3	1
930107416095M42	BT40-SLRB16-95-M42	16	32	8	95	42	26	-	36.4	1
930107416105M22	BT40-SLRB16-105-M22	16	32	8	105	22	56	-	34.3	1
930107416120M67	BT40-SLRB16-120-M67	16	32	8	120	67	26	-	39	1
930107416125M42	BT40-SLRB16-125-M42	16	32	8	125	42	56	-	36.4	1
930107416135M22	BT40-SLRB16-135-M22	16	32	8	135	22	86	-	34.3	1
930107416150M67	BT40-SLRB16-150-M67	16	32	8	150	67	56	-	39	1
930107416155M42	BT40-SLRB16-155-M42	16	32	8	155	42	86	-	36.4	1
930107416180M67	BT40-SLRB16-180-M67	16	32	8	180	67	28	58	39	2
930107316075M22	BT40-SLFB16-75-M22	16	32	8	75	22	26	-	34.3	1
930107316095M42	BT40-SLFB16-95-M42	16	32	8	95	42	26	-	36.4	1
930107316105M22	BT40-SLFB16-105-M22	16	32	8	105	22	56	-	34.3	1
930107316120M67	BT40-SLFB16-120-M67	16	32	8	120	67	26	-	39	1
930107316125M42	BT40-SLFB16-125-M42	16	32	8	125	42	56	-	36.4	1
930107316135M22	BT40-SLFB16-135-M22	16	32	8	135	22	86	-	34.3	1
930107316150M67	BT40-SLFB16-150-M67	16	32	8	150	67	56	-	39	1
930107316155M42	BT40-SLFB16-155-M42	16	32	8	155	42	86	-	36.4	1
930107316180M67	BT40-SLFB16-180-M67	16	32	8	180	67	86	-	39	1
930107520095M42	BT40-SLSB20-95-M42	20	29	4.5	95	42	26	-	33.4	1
930107520120M67	BT40-SLSB20-120-M67	20	29	4.5	120	67	26	-	36	1
930107520125M42	BT40-SLSB20-125-M42	20	29	4.5	125	42	56	-	33.4	1
930107520150M67	BT40-SLSB20-150-M67	20	29	4.5	150	67	56	-	36	1
930107520151M97	BT40-SLSB20-150-M97	20	29	4.5	150	97	26	-	39.2	1
930107520155M42	BT40-SLSB20-155-M42	20	29	4.5	155	42	28	58	33.4	2
930107520180M67	BT40-SLSB20-180-M67	20	29	4.5	180	67	86	-	36	1
930107520180M97	BT40-SLSB20-180-M97	20	29	4.5	180	97	56	-	39.2	1
930107520180M12	BT40-SLSB20-180-M127	20	29	4.5	180	127	26	-	42.3	1
930107520210M97	BT40-SLSB20-210-M97	20	29	4.5	210	97	86	-	39.2	1
930107520210M12	BT40-SLSB20-210-M127	20	29	4.5	210	127	56	-	42.3	1
930107520210M15	BT40-SLSB20-210-M157	20	29	4.5	210	157	26	-	45.5	1
930107520240M12	BT40-SLSB20-240-M127	20	29	4.5	240	127	86	-	42.3	1
930107520240M15	BT40-SLSB20-240-M157	20	29	4.5	240	157	56	-	45.5	1
930107520270M15	BT40-SLSB20-270-M157	20	29	4.5	270	157	86	-	45.5	1
930107420095M42	BT40-SLRB20-95-M42	20	38	9	95	42	26	-	42.4	1
930107420120M67	BT40-SLRB20-120-M67	20	38	9	120	67	26	-	45	1

Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930107420125M42	BT40-SLRB20-125-M42	20	38	9	125	42	56	-	42.4	1
930107420150M67	BT40-SLRB20-150-M67	20	38	9	150	67	56	-	45	1
930107420155M42	BT40-SLRB20-155-M42	20	38	9	155	42	86	-	42.4	1
930107420180M67	BT40-SLRB20-180-M67	20	38	9	180	67	86	-	45	1
930107320095M42	BT40-SLFB20-95-M42	20	38	9	95	42	26	-	42.4	1
930107320120M67	BT40-SLFB20-120-M67	20	38	9	120	67	26	-	45	1
930107320125M42	BT40-SLFB20-125-M42	20	38	9	125	42	56	-	42.4	1
930107320150M67	BT40-SLFB20-150-M67	20	38	9	150	67	56	-	45	1
930107320155M42	BT40-SLFB20-155-M42	20	38	9	155	42	86	-	42.4	1
930107320180M67	BT40-SLFB20-180-M67	20	38	9	180	67	86	-	45	1
930107425095M42	BT40-SLRB25-95-M42	25	45	10	95	42	26	-	49.4	1
930107425125M42	BT40-SLRB25-125-M42	25	45	10	125	42	56	-	49.4	1
930107425155M42	BT40-SLRB25-155-M42	25	45	10	155	42	86	-	49.4	1
930107325095M42	BT40-SLFB25-95-M42	25	45	10	95	42	26	-	49.4	1
930107325125M42	BT40-SLFB25-125-M42	25	45	10	125	42	56	-	49.4	1
930107325155M42	BT40-SLFB25-155-M42	25	45	10	155	42	86	-	49.4	1