


## Cone Térmico BT50 - Mono 3°

## Categorias

- Mono 3°



Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930108203110M42	BT50-SLSA3-110-M42	3	6	1.5	110	42	30	-	10.4	1
930108203135M67	BT50-SLSA3-135-M67	3	6	1.5	135	67	30	-	13	1
930108203140M42	BT50-SLSA3-140-M42	3	6	1.5	140	42	60	-	10.4	1
930108203165M67	BT50-SLSA3-165-M67	3	6	1.5	165	67	60	-	13	1
930108203165M97	BT50-SLSA3-165-M97	3	6	1.5	165	97	30	-	16.2	1
930108203170M42	BT50-SLSA3-170-M42	3	6	1.5	170	42	33	57	10.4	2
930108203195M67	BT50-SLSA3-195-M67	3	6	1.5	195	67	33	57	13	2
930108203196M97	BT50-SLSA3-195-M97	3	6	1.5	195	97	60	-	16.2	1
930108203225M97	BT50-SLSA3-225-M97	3	6	1.5	225	97	33	57	16.2	2
930108103090M22	BT50-SLRA3-90-M22	3	7.5	2.25	90	22	30	-	9.8	1
930108103110M42	BT50-SLRA3-110-M42	3	7.5	2.25	110	42	30	-	11.9	1
930108103120M22	BT50-SLRA3-120-M22	3	7.5	2.25	120	22	60	-	9.8	1
930108103135M67	BT50-SLRA3-135-M67	3	7.5	2.25	135	67	30	-	14.5	1
930108103140M42	BT50-SLRA3-140-M42	3	7.5	2.25	140	42	60	-	11.9	1
930108103150M22	BT50-SLRA3-150-M22	3	7.5	2.25	150	22	33	57	9.8	2
930108103165M67	BT50-SLRA3-165-M67	3	7.5	2.25	165	67	60	-	14.5	1
930108103165M97	BT50-SLRA3-165-M97	3	7.5	2.25	165	97	30	-	17.7	1
930108103170M42	BT50-SLRA3-170-M42	3	7.5	2.25	170	42	33	57	11.9	2
930108103195M67	BT50-SLRA3-195-M67	3	7.5	2.25	195	67	33	57	14.5	2
930108103196M97	BT50-SLRA3-195-M97	3	7.5	2.25	195	97	60	-	17.7	1
930108103197M12	BT50-SLRA3-195-M127	3	7.5	2.25	195	127	30	-	20.8	1
930108103225M97	BT50-SLRA3-225-M97	3	7.5	2.25	225	97	33	57	17.7	2
930108103226M12	BT50-SLRA3-225-M127	3	7.5	2.25	225	127	60	-	20.8	1
930108103256M12	BT50-SLRA3-255-M127	3	7.5	2.25	255	127	30	60		2
930108303090M22	BT50-SLFB3-90-M22	3	9.5	3.25	90	22	30	-	11.8	1
930108303110M42	BT50-SLFB3-110-M42	3	9.5	3.25	110	42	30	-	13.9	1

Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930108303120M22	BT50-SLFB3-120-M22	3	9.5	3.25	120	22	60	-	11.8	1
930108303135M67	BT50-SLFB3-135-M67	3	9.5	3.25	135	67	30	-	16.5	1
930108303140M42	BT50-SLFB3-140-M42	3	9.5	3.25	140	42	60	-	13.9	1
930108303150M22	BT50-SLFB3-150-M22	3	9.5	3.25	150	22	33	57	11.8	2
930108303165M67	BT50-SLFB3-165-M67	3	9.5	3.25	165	67	60	-	16.5	1
930108303170M42	BT50-SLFB3-170-M42	3	9.5	3.25	170	42	33	57	13.9	2
930108303195M67	BT50-SLFB3-195-M67	3	9.5	3.25	195	67	33	57	16.5	2
930108204110M42	BT50-SLSA4-110-M42	4	7	1.5	110	42	30	-	11.4	1
930108204135M67	BT50-SLSA4-135-M67	4	7	1.5	135	67	30	-	14	1
930108204140M42	BT50-SLSA4-140-M42	4	7	1.5	140	42	60	-	11.4	1
930108204165M67	BT50-SLSA4-165-M67	4	7	1.5	165	67	60	-	14	1
930108204166M97	BT50-SLSA4-165-M97	4	7	1.5	165	97	30	-	17.2	1
930108204170M42	BT50-SLSA4-170-M42	4	7	1.5	170	42	33	57	11.4	2
930108204195M67	BT50-SLSA4-195-M67	4	7	1.5	195	67	33	57	14	2
930108204196M97	BT50-SLSA4-195-M97	4	7	1.5	195	97	60	-	17.2	1
930108204225M97	BT50-SLSA4-225-M97	4	7	1.5	225	97	33	57	17.2	2
930108104090M22	BT50-SLRA4-90-M22	4	10	3	90	22	30	-	12.3	1
930108104110M42	BT50-SLRA4-110-M42	4	10	3	110	42	30	-	14.4	1
930108104120M22	BT50-SLRA4-120-M22	4	10	3	120	22	60	-	12.3	1
930108104135M67	BT50-SLRA4-135-M67	4	10	3	135	67	30	-	17	1
930108104140M42	BT50-SLRA4-140-M42	4	10	3	140	42	60	-	14.4	1
930108104150M22	BT50-SLRA4-150-M22	4	10	3	150	22	33	57	12.3	2
930108104165M67	BT50-SLRA4-165-M67	4	10	3	165	67	60	-	17	1
930108104166M97	BT50-SLRA4-165-M97	4	10	3	165	97	30	-	20.2	1
930108104170M42	BT50-SLRA4-170-M42	4	10	3	170	42	33	57	14.4	2
930108104195M67	BT50-SLRA4-195-M67	4	10	3	195	67	33	57	17	2
930108104196M97	BT50-SLRA4-195-M97	4	10	3	195	97	60	-	20.2	1
930108104197M12	BT50-SLRA4-195-M127	4	10	3	195	127	30	-	23.3	1
930108104225M97	BT50-SLRA4-225-M97	4	10	3	225	97	33	57	20.2	2
930108104226M12	BT50-SLRA4-225-M127	4	10	3	225	127	60	-	23.3	1
930108104255M12	BT50-SLRA4-255-M127	4	10	3	255	127	30	60	23.4	2
930108304090M22	BT50-SLFB4-90-M22	4	12	4	90	22	30	-	14.3	1
930108304110M42	BT50-SLFB4-110-M42	4	12	4	110	42	30	-	16.4	1
930108304120M22	BT50-SLFB4-120-M22	4	12	4	120	22	60	-	14.3	1
930108304135M67	BT50-SLFB4-135-M67	4	12	4	135	67	30	-	19	1
930108304140M42	BT50-SLFB4-140-M42	4	12	4	140	42	60	-	16.4	1
930108304150M22	BT50-SLFB4-150-M22	4	12	4	150	22	33	57	14.3	2
930108304165M67	BT50-SLFB4-165-M67	4	12	4	165	67	60	-	19	1
930108304170M42	BT50-SLFB4-170-M42	4	12	4	170	42	33	57	16.4	2
930108304195M67	BT50-SLFB4-195-M67	4	12	4	195	67	33	57	19	2
930108206110M42	BT50-SLSA6-110-M42	6	9	1.5	110	42	30	-	13.4	1
930108206135M67	BT50-SLSA6-135-M67	6	9	1.5	135	67	30	-	16	1
930108206140M42	BT50-SLSA6-140-M42	6	9	1.5	140	42	60	-	13.4	1

Ref.	Descrição	ØD	Ø	Thickness	L	M	L1	L2	ØC1	Fig.
930108206165M67	BT50-SLSA6-165-M67	6	9	1.5	165	67	60	-	16	1
930108206165M97	BT50-SLSA6-165-M97	6	9	1.5	165	97	30	-	19.2	1
930108206170M42	BT50-SLSA6-170-M42	6	9	1.5	170	42	33	57	13.4	2
930108206195M67	BT50-SLSA6-195-M67	6	9	1.5	195	67	33	57	16	2
930108206196M97	BT50-SLSA6-195-M97	6	9	1.5	195	97	60	-	19.2	1
930108206225M97	BT50-SLSA6-225-M97	6	9	1.5	225	97	30	60	19.3	2
930108506110M42	BT50-SLSB6-110-M42	6	10	2	110	42	30	-	14.4	1
930108506135M67	BT50-SLSB6-135-M67	6	10	2	135	67	30	-	17	1
930108506140M42	BT50-SLSB6-140-M42	6	10	2	140	42	60	-	14.4	1
930108506165M67	BT50-SLSB6-165-M67	6	10	2	165	67	60	-	17	1
930108506166M97	BT50-SLSB6-165-M97	6	10	2	165	97	30	-	20.2	1
930108506170M42	BT50-SLSB6-170-M42	6	10	2	170	42	33	57	14.4	2
930108506195M67	BT50-SLSB6-195-M67	6	10	2	195	67	33	57	17	2
930108506196M97	BT50-SLSB6-195-M97	6	10	2	195	97	60	-	20.2	1
930108506197M12	BT50-SLSB6-195-M127	6	10	2	195	127	30	-	23.3	1
930108506225M97	BT50-SLSB6-225-M97	6	10	2	225	97	30	60	20.2	2
930108506225M12	BT50-SLSB6-225-M127	6	10	2	225	127	60	-	23.3	1
930108506225M15	BT50-SLSB6-225-M157	6	10	2	225	157	30	-	26.5	1
930108506255M12	BT50-SLSB6-255-M127	6	10	2	255	127	30	60	23.3	2
930108506255M15	BT50-SLSB6-255-M157	6	10	2	255	157	60	-	26.5	1
930108506285M15	BT50-SLSB6-285-M157	6	10	2	285	157	30	60		2
930108406090M22	BT50-SLRB6-90-M22	6	14	4	90	22	30	-	16.3	1
930108406110M42	BT50-SLRB6-110-M42	6	14	4	110	42	30	-	18.4	1
930108406120M22	BT50-SLRB6-120-M22	6	14	4	120	22	60	-	16.3	1
930108406135M67	BT50-SLRB6-135-M67	6	14	4	135	67	30	-	21	1
930108406140M42	BT50-SLRB6-140-M42	6	14	4	140	42	60	-	18.4	1
930108406150M22	BT50-SLRB6-150-M22	6	14	4	150	22	30	60	16.3	2
930108406165M67	BT50-SLRB6-165-M67	6	14	4	165	67	60	-	21	1
930108406170M42	BT50-SLRB6-170-M42	6	14	4	170	42	28	62	18.4	2
930108406195M67	BT50-SLRB6-195-M67	6	14	4	195	67	30	60	21	2
930108306090M22	BT50-SLFB6-90-M22	6	14	4	90	22	30	-	16.3	1
930108306110M42	BT50-SLFB6-110-M42	6	14	4	110	42	30	-	18.4	1
930108306120M22	BT50-SLFB6-120-M22	6	14	4	120	22	60	-	16.3	1
930108306135M67	BT50-SLFB6-135-M67	6	14	4	135	67	30	-	21	1
930108306140M42	BT50-SLFB6-140-M42	6	14	4	140	42	60	-	18.4	1
930108306150M22	BT50-SLFB6-150-M22	6	14	4	150	22	30	60	16.3	2
930108306165M67	BT50-SLFB6-165-M67	6	14	4	165	67	60	-	21	1
930108306170M42	BT50-SLFB6-170-M42	6	14	4	170	42	30	60	18.4	2
930108306195M67	BT50-SLFB6-195-M67	6	14	4	195	67	28	62	21	2
930108208110M42	BT50-SLSA8-110-M42	8	11	1.5	110	42	30	-	15.4	1
930108208135M67	BT50-SLSA8-135-M67	8	11	1.5	135	67	30	-	18	1
930108208140M42	BT50-SLSA8-140-M42	8	11	1.5	140	42	60	-	15.4	1
930108208165M67	BT50-SLSA8-165-M67	8	11	1.5	165	67	60	-	18	1

Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930108208166M97	BT50-SLSA8-165-M97	8	11	1.5	165	97	30	-	21.2	1
930108208170M42	BT50-SLSA8-170-M42	8	11	1.5	170	42	33	57	15.4	2
930108208195M67	BT50-SLSA8-195-M67	8	11	1.5	195	67	28	62	18	2
930108208196M97	BT50-SLSA8-195-M97	8	11	1.5	195	97	60	-	21.2	1
930108208225M97	BT50-SLSA8-225-M97	8	11	1.5	225	97	28	62	21.2	2
930108508110M42	BT50-SLSB8-110-M42	8	13	2.5	110	42	30	-	17.4	1
930108508135M67	BT50-SLSB8-135-M67	8	13	2.5	135	67	30	-	20	1
930108508140M42	BT50-SLSB8-140-M42	8	13	2.5	140	42	60	-	17.4	1
930108508165M67	BT50-SLSB8-165-M67	8	13	2.5	165	67	60	-	20	1
930108508166M97	BT50-SLSB8-165-M97	8	13	2.5	165	97	30	-	23.2	1
930108508170M42	BT50-SLSB8-170-M42	8	13	2.5	170	42	30	60	17.4	2
930108508195M67	BT50-SLSB8-195-M67	8	13	2.5	195	67	30	60	20	2
930108508196M97	BT50-SLSB8-195-M97	8	13	2.5	195	97	60	-	23.2	1
930108508197M12	BT50-SLSB8-195-M127	8	13	2.5	195	127	30	-	26.3	1
930108508225M97	BT50-SLSB8-225-M97	8	13	2.5	225	97	30	60	23.2	2
930108508225M12	BT50-SLSB8-225-M127	8	13	2.5	225	127	60	-	26.3	1
930108508225M15	BT50-SLSB8-225-M157	8	13	2.5	225	157	30	-	29.5	1
930108508255M12	BT50-SLSB8-255-M127	8	13	2.5	255	127	28	62	26.3	2
930108508255M15	BT50-SLSB8-255-M157	8	13	2.5	255	157	60	-	29.5	1
930108508285M15	BT50-SLSB8-285-M157	8	13	2.5	285	157	28	62	29.6	2
930108408090M22	BT50-SLRB8-90-M22	8	18	5	90	22	30	-	20.3	1
930108408110M42	BT50-SLRB8-110-M42	8	18	5	110	42	30	-	22.4	1
930108408120M22	BT50-SLRB8-120-M22	8	18	5	120	22	60	-	20.3	1
930108408135M67	BT50-SLRB8-135-M67	8	18	5	135	67	30	-	25	1
930108408140M42	BT50-SLRB8-140-M42	8	18	5	140	42	60	-	22.4	1
930108408150M22	BT50-SLRB8-150-M22	8	18	5	150	22	30	60	20.3	2
930108408165M67	BT50-SLRB8-165-M67	8	18	5	165	67	60	-	25	1
930108408170M42	BT50-SLRB8-170-M42	8	18	5	170	42	28	62	22.4	2
930108408195M67	BT50-SLRB8-195-M67	8	18	5	195	67	30	60	25	2
930108308090M22	BT50-SLFB8-90-M22	8	18	5	90	22	30	-	20.3	1
930108308110M42	BT50-SLFB8-110-M42	8	18	5	110	42	30	-	22.4	1
930108308120M22	BT50-SLFB8-120-M22	8	18	5	120	22	60	-	20.3	1
930108308135M67	BT50-SLFB8-135-M67	8	18	5	135	67	30	-	25	1
930108308140M42	BT50-SLFB8-140-M42	8	18	5	140	42	60	-	22.4	1
930108308150M22	BT50-SLFB8-150-M22	8	18	5	150	22	30	60	20.3	2
930108308165M67	BT50-SLFB8-165-M67	8	18	5	165	67	60	-	25	1
930108308170M42	BT50-SLFB8-170-M42	8	18	5	170	42	28	62	22.4	2
930108308195M67	BT50-SLFB8-195-M67	8	18	5	195	67	30	60	25	2
930108210110M42	BT50-SLSA10-110-M42	10	13	1.5	110	42	30	-	17.4	1
930108210135M67	BT50-SLSA10-135-M67	10	13	1.5	135	67	30	-	20	1
930108210140M42	BT50-SLSA10-140-M42	10	13	1.5	140	42	60	-	17.4	1
930108210165M67	BT50-SLSA10-165-M67	10	13	1.5	165	67	60	-	20	1
930108210166M97	BT50-SLSA10-165-M97	10	13	1.5	165	97	30	-	23.2	1

Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930108210170M42	BT50-SLSA10-170-M42	10	13	1.5	170	42	33	57	17.4	2
930108210195M67	BT50-SLSA10-195-M67	10	13	1.5	195	67	28	62	20	2
930108210196M97	BT50-SLSA10-195-M97	10	13	1.5	195	97	60	-	23.2	1
930108210225M97	BT50-SLSA10-225-M97	10	13	1.5	225	97	28	62	23.2	2
930108510110M42	BT50-SLSB10-110-M42	10	16	3	110	42	30	-	20.4	1
930108510135M67	BT50-SLSB10-135-M67	10	16	3	135	67	30	-	23	1
930108510140M42	BT50-SLSB10-140-M42	10	16	3	140	42	60	-	20.4	1
930108510165M67	BT50-SLSB10-165-M67	10	16	3	165	67	60	-	23	1
930108510166M97	BT50-SLSB10-165-M97	10	16	3	165	97	30	-	26.2	1
930108510170M42	BT50-SLSB10-170-M42	10	16	3	170	42	28	62	20.4	2
930108510195M67	BT50-SLSB10-195-M67	10	16	3	195	67	30	60	23	2
930108510196M97	BT50-SLSB10-195-M97	10	16	3	195	97	60	-	26.2	1
930108510197M12	BT50-SLSB10-195-M127	10	16	3	195	127	30	-	29.3	1
930108510225M97	BT50-SLSB10-225-M97	10	16	3	225	97	30	60	26.2	2
930108510225M12	BT50-SLSB10-225-M127	10	16	3	225	127	60	-	29.3	1
930108510225M15	BT50-SLSB10-225-M157	10	16	3	225	157	30	-	32.5	1
930108510255M12	BT50-SLSB10-255-M127	10	16	3	255	127	28	62	29.3	2
930108510255M15	BT50-SLSB10-255-M157	10	16	3	255	157	60	-	32.5	1
930108510285M15	BT50-SLSB10-285-M157	10	16	3	285	157	28	62	32.5	2
930108410090M22	BT50-SLRB10-90-M22	10	22	6	90	22	30	-	24.3	1
930108410110M42	BT50-SLRB10-110-M42	10	22	6	110	42	30	-	26.4	1
930108410120M22	BT50-SLRB10-120-M22	10	22	6	120	22	60	-	24.3	1
930108410135M67	BT50-SLRB10-135-M67	10	22	6	135	67	30	-	29	1
930108410140M42	BT50-SLRB10-140-M42	10	22	6	140	42	60	-	26.4	1
930108410150M22	BT50-SLRB10-150-M22	10	22	6	150	22	30	60	24.3	2
930108410165M67	BT50-SLRB10-165-M67	10	22	6	165	67	60	-	29	1
930108410170M42	BT50-SLRB10-170-M42	10	22	6	170	42	28	62	26.4	2
930108410195M67	BT50-SLRB10-195-M67	10	22	6	195	67	28	62	29	2
930108310090M22	BT50-SLFB10-90-M22	10	22	6	90	22	30	-	24.3	1
930108310110M42	BT50-SLFB10-110-M42	10	22	6	110	42	30	-	26.4	1
930108310120M22	BT50-SLFB10-120-M22	10	22	6	120	22	60	-	24.3	1
930108310135M67	BT50-SLFB10-135-M67	10	22	6	135	67	30	-	29	1
930108310140M42	BT50-SLFB10-140-M42	10	22	6	140	42	60	-	26.4	1
930108310150M22	BT50-SLFB10-150-M22	10	22	6	150	22	30	60	24.3	2
930108310165M67	BT50-SLFB10-165-M67	10	22	6	165	67	60	-	29	1
930108310170M42	BT50-SLFB10-170-M42	10	22	6	170	42	28	62	26.4	2
930108310195M67	BT50-SLFB10-195-M67	10	22	6	195	67	28	62	29	2
930108212110M42	BT50-SLSA12-110-M42	12	15	1.5	110	42	30	-	19.4	1
930108212135M67	BT50-SLSA12-135-M67	12	15	1.5	135	67	30	-	22	1
930108212140M42	BT50-SLSA12-140-M42	12	15	1.5	140	42	60	-	19.4	1
930108212165M67	BT50-SLSA12-165-M67	12	15	1.5	165	67	60	-	22	1
930108212166M97	BT50-SLSA12-165-M97	12	15	1.5	165	97	30	-	25.2	1
930108212170M42	BT50-SLSA12-170-M42	12	15	1.5	170	42	30	60	19.4	2

Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930108212195M67	BT50-SLSA12-195-M67	12	15	1.5	195	67	28	62	22	2
930108212196M97	BT50-SLSA12-195-M97	12	15	1.5	195	97	60	-	25.2	1
930108212225M97	BT50-SLSA12-225-M97	12	15	1.5	225	97	28	62	25.2	2
930108512110M42	BT50-SLSB12-110-M42	12	19	3.5	110	42	30	-	23.4	1
930108512135M67	BT50-SLSB12-135-M67	12	19	3.5	135	67	30	-	26	1
930108512140M42	BT50-SLSB12-140-M42	12	19	3.5	140	42	60	-	23.4	1
930108512165M67	BT50-SLSB12-165-M67	12	19	3.5	165	67	60	-	26	1
930108512166M97	BT50-SLSB12-165-M97	12	19	3.5	165	97	30	-	29.2	1
930108512170M42	BT50-SLSB12-170-M42	12	19	3.5	170	42	28	62	23.4	2
930108512195M67	BT50-SLSB12-195-M67	12	19	3.5	195	67	28	62	26	2
930108512195M97	BT50-SLSB12-195-M97	12	19	3.5	195	97	60	-	29.2	1
930108512195M12	BT50-SLSB12-195-M127	12	19	3.5	195	127	30	-	32.3	1
930108512225M97	BT50-SLSB12-225-M97	12	19	3.5	225	97	28	62	29.2	2
930108512225M12	BT50-SLSB12-225-M127	12	19	3.5	225	127	60	-	32.3	1
930108512225M15	BT50-SLSB12-225-M157	12	19	3.5	225	157	30	-	35.5	1
930108512255M12	BT50-SLSB12-255-M127	12	19	3.5	255	127	28	62	32.3	2
930108512256M15	BT50-SLSB12-255-M157	12	19	3.5	255	157	60	-	35.5	1
930108512285M15	BT50-SLSB12-285-M157	12	19	3.5	285	157	28	62	35.5	2
930108412090M22	BT50-SLRB12-90-M22	12	26	7	90	22	30	-	28.3	1
930108412110M42	BT50-SLRB12-110-M42	12	26	7	110	42	30	-	30.4	1
930108412120M22	BT50-SLRB12-120-M22	12	26	7	120	22	60	-	28.3	1
930108412135M67	BT50-SLRB12-135-M67	12	26	7	135	67	30	-	33	1
930108412140M42	BT50-SLRB12-140-M42	12	26	7	140	42	60	-	30.4	1
930108412150M22	BT50-SLRB12-150-M22	12	26	7	150	22	28	62	28.3	2
930108412165M67	BT50-SLRB12-165-M67	12	26	7	165	67	60	-	33	1
930108412170M42	BT50-SLRB12-170-M42	12	26	7	170	42	28	62	30.4	2
930108412195M67	BT50-SLRB12-195-M67	12	26	7	195	67	28	62	33	2
930108312090M22	BT50-SLFB12-90-M22	12	26	7	90	22	30	-	28.3	1
930108312110M42	BT50-SLFB12-110-M42	12	26	7	110	42	30	-	30.4	1
930108312120M22	BT50-SLFB12-120-M22	12	26	7	120	22	60	-	28.3	1
930108312135M67	BT50-SLFB12-135-M67	12	26	7	135	67	30	-	33	1
930108312140M42	BT50-SLFB12-140-M42	12	26	7	140	42	60	-	30.4	1
930108312150M22	BT50-SLFB12-150-M22	12	26	7	150	22	28	62	28.3	2
930108312165M67	BT50-SLFB12-165-M67	12	26	7	165	67	60	-	33	1
930108312170M42	BT50-SLFB12-170-M42	12	26	7	170	42	28	62	30.4	2
930108312195M67	BT50-SLFB12-195-M67	12	26	7	195	67	28	62	33	2
930108516110M42	BT50-SLSB16-110-M42	16	24	4	110	42	30	-	28.4	1
930108516135M67	BT50-SLSB16-135-M67	16	24	4	135	67	30	-	31	1
930108516140M42	BT50-SLSB16-140-M42	16	24	4	140	42	60	-	28.4	1
930108516165M67	BT50-SLSB16-165-M67	16	24	4	165	67	60	-	31	1
930108516166M97	BT50-SLSB16-165-M97	16	24	4	165	97	30	-	34.2	1
930108516170M42	BT50-SLSB16-170-M42	16	24	4	170	42	28	62	28.4	2
930108516195M67	BT50-SLSB16-195-M67	16	24	4	195	67	90	-	31	1

Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930108516195M97	BT50-SLSB16-195-M97	16	24	4	195	97	60	-	34.2	1
930108516195M12	BT50-SLSB16-195-M127	16	24	4	195	127	30	-	37.3	1
930108516225M97	BT50-SLSB16-225-M97	16	24	4	225	97	28	62	34.2	2
930108516225M12	BT50-SLSB16-225-M127	16	24	4	225	127	60	-	37.3	1
930108516225M15	BT50-SLSB16-225-M157	16	24	4	225	157	30	-	40.5	1
930108516255M12	BT50-SLSB16-255-M127	16	24	4	255	127	28	62	37.3	2
930108516255M15	BT50-SLSB16-255-M157	16	24	4	255	157	60	-	40.5	1
930108516285M15	BT50-SLSB16-285-M157	16	24	4	285	157	28	62		2
930108416090M22	BT50-SLRB16-90-M22	16	32	8	90	22	30	-	34.3	1
930108416110M42	BT50-SLRB16-110-M42	16	32	8	110	42	30	-	36.4	1
930108416120M22	BT50-SLRB16-120-M22	16	32	8	120	22	60	-	34.3	1
930108416135M67	BT50-SLRB16-135-M67	16	32	8	135	67	30	-	39	1
930108416140M42	BT50-SLRB16-140-M42	16	32	8	140	42	60	-	36.4	1
930108416150M22	BT50-SLRB16-150-M22	16	32	8	150	22	28	62	34.3	2
930108416165M67	BT50-SLRB16-165-M67	16	32	8	165	67	60	-	39	1
930108416170M42	BT50-SLRB16-170-M42	16	32	8	170	42	28	62	36.4	2
930108416195M67	BT50-SLRB16-195-M67	16	32	8	195	67	28	62	39	2
930108316090M22	BT50-SLFB16-90-M22	16	32	8	90	22	30	-	34.3	1
930108316110M42	BT50-SLFB16-110-M42	16	32	8	110	42	30	-	36.4	1
930108316120M22	BT50-SLFB16-120-M22	16	32	8	120	22	60	-	34.3	1
930108316135M67	BT50-SLFB16-135-M67	16	32	8	135	67	30	-	39	1
930108316140M42	BT50-SLFB16-140-M42	16	32	8	140	42	60	-	36.4	1
930108316150M22	BT50-SLFB16-150-M22	16	32	8	150	22	28	62	34.3	2
930108316165M67	BT50-SLFB16-165-M67	16	32	8	165	67	60	-	39	1
930108316170M42	BT50-SLFB16-170-M42	16	32	8	170	42	90	-	36.4	1
930108316195M67	BT50-SLFB16-195-M67	16	32	8	195	67	28	62	39	2
930108520110M42	BT50-SLSB20-110-M42	20	29	4.5	110	42	30	-	33.4	1
930108520135M67	BT50-SLSB20-135-M67	20	29	4.5	135	67	30	-	36	1
930108520140M42	BT50-SLSB20-140-M42	20	29	4.5	140	42	60	-	33.4	1
930108520165M67	BT50-SLSB20-165-M67	20	29	4.5	165	67	60	-	36	1
930108520166M97	BT50-SLSB20-165-M97	20	29	4.5	165	97	30	-	39.2	1
930108520170M42	BT50-SLSB20-170-M42	20	29	4.5	170	42	28	62	33.4	2
930108520195M67	BT50-SLSB20-195-M67	20	29	4.5	195	67	28	62	36	2
930108520195M97	BT50-SLSB20-195-M97	20	29	4.5	195	97	60	-	39.2	1
930108520195M12	BT50-SLSB20-195-M127	20	29	4.5	195	127	30	-	42.3	1
930108520225M97	BT50-SLSB20-225-M97	20	29	4.5	225	97	28	62	39.2	2
930108520225M12	BT50-SLSB20-225-M127	20	29	4.5	225	127	60	-	42.3	1
930108520225M15	BT50-SLSB20-225-M157	20	29	4.5	225	157	30	-	45.5	1
930108520255M12	BT50-SLSB20-255-M127	20	29	4.5	255	127	28	62	42.3	2
930108520256M15	BT50-SLSB20-255-M157	20	29	4.5	255	157	60	-	45.5	1
930108520285M15	BT50-SLSB20-285-M157	20	29	4.5	285	157	28	62	45.6	2
930108420110M42	BT50-SLRB20-110-M42	20	38	9	110	42	30	-	42.4	1
930108420135M67	BT50-SLRB20-135-M67	20	38	9	135	67	30	-	45	1

Ref.	Descrição	ØD	ØC	Thickness	L	M	L1	L2	ØC1	Fig.
930108420140M42	BT50-SLRB20-140-M42	20	38	9	140	42	60	-	42.4	1
930108420165M67	BT50-SLRB20-165-M67	20	38	9	165	67	60	-	45	1
930108420170M42	BT50-SLRB20-170-M42	20	38	9	170	42	28	62	42.4	2
930108420195M67	BT50-SLRB20-195-M67	20	38	9	195	67	28	62	45	2
930108320110M42	BT50-SLFB20-110-M42	20	38	9	110	42	30	-	42.4	1
930108320135M67	BT50-SLFB20-135-M67	20	38	9	135	67	30	-	45	1
930108320140M42	BT50-SLFB20-140-M42	20	38	9	140	42	60	-	42.4	1
930108320165M67	BT50-SLFB20-165-M67	20	38	9	165	67	60	-	45	1
930108320170M42	BT50-SLFB20-170-M42	20	38	9	170	42	28	62	42.4	2
930108320195M67	BT50-SLFB20-195-M67	20	38	9	195	67	90	-	45	1
930108425110M42	BT50-SLRB25-110-M42	25	45	10	110	42	30	-	49.4	1
930108425140M42	BT50-SLRB25-140-M42	25	45	10	140	42	60	-	49.4	1
930108425170M42	BT50-SLRB25-170-M42	25	45	10	170	42	28	62	49.6	2
930108325110M42	BT50-SLFB25-110-M42	25	45	10	110	42	30	-	49.4	1
930108325140M42	BT50-SLFB25-140-M42	25	45	10	140	42	60	-	49.4	1
930108325170M42	BT50-SLFB25-170-M42	25	45	10	170	42	28	62	49.4	2